

RAVAK[®]

Taps and extras

COMPLETE ASSORTMENT 2017 / 2018







4	Properties of RAVAK taps
6	10°
18	Chrome
28	Thermo
34	Dual shower systems Thermo
36	Classic
40	Neo
44	Rosa
48	Suzan
52	Floor-mounted bath taps
54	Bath standing taps
56	Kitchen taps
58	Taps with a bidet shower
60	Showers and extras
64	Shower and bath sets
66	R-box and R-box Multi
70	Option of using built-in taps in the bathroom
72	Bath waste sets
73	Washbasin wastes and traps
74	Technical drawings

Properties of RAVAK taps

Certification

All RAVAK taps meet the values for selected requirements of EU standards.



Ergonomic lever

Comfortable control of the tap lever.

SoftMove

Smooth and even movement of the lever.



SOFTMOVE

Ceramic cartridge

High quality ceramic cartridge for long life and long-term use.

Service life test of the cartridge

Each cartridge is tested for more than 700,000 movements - guaranteed for over 30 years of comfortable operation.

30

30 YEARS SERVICE LIFE OF THE CARTRIDGE

Quality brass

Long service life of the tap body.

CuZn

METAL DESIGN

Warranty on taps

RAVAK taps come with 5 year warranty (except for Suzan taps)

5

5 YEAR WARRANTY ON WATER TAPS

Perfect tap surface finish

Simple maintenance and bright surface.

EasyClean

Easy scale removal.



EASYCLEAN

FlexiFlow

Adjustable aerator - allows the adjustment of the stream as required.



FLEXIFLOW


RAVAK Cleaner Chrome

A special cleaning agent without chlorine.



CLEANER CHROME





Tap gauge

All wall-mounted taps have 150 mm gauge. Suzan taps have 100 mm gauge.



Ergonomic diverter

The practical shape of the switch allows control even with wet hands.


Locking of the switch – bath / shower

The switch will not turn off even when water pressure drops.



Constant temperature

RAVAK thermostatic taps keep the hot water temperature at the set level.



FastReaction

Reacts immediately to water pressure changes and keeps the mixed water constantly warm.



Scald protection

Should there be a fault with the cold water supply, it immediately regulates the hot water inlet.



Safety lock

To prevent unwanted change of water temperature to cold or hot.

CoolFeel

Temperature controls on the left prevent excessive warming of the tap's surface.



EasyClean

Easy scale removal.



Air

The Air function allows for an introduction of air into the shower handset. This offers a more pleasant sensation of water on skin whilst simultaneously saving water.



EasyTWIST

Prevents the hose twisting by allowing the shower handset to rotate freely.



Design by Kryštof Nosál



As if coming to meet you halfway

10°

A modern design but that's not all. The taps and accessories are inclined 10° towards your hands, have an original style and are comfortable to use.

It is the designer Krystof Nosal, who has won a number of prestigious foreign awards for the ingenious design of the 10° Concept.



reddot award 2015
winner



Czech designer Kryštof Nosál.

10° taps and bathroom accessories are all part of the same 10° concept.



The concept is based on a slight rotation or slant of all components at an angle of 10°. The bath, washbasins and taps give the impression as if they were coming to meet you, adding yet more comfort and usability.



The practical inclination of the tap towards the hands makes their use more pleasant and highlights a style in every bathroom.



ExtraComfort Zone

Comfort Zone

Standard Zone

The 10° taps can be of standard, extended or extra extended height.

Choose the ideal size to create your own comfortable washing area.

The flexible aerator will ensure that the flow of water will always go directly to the drain to prevent water splashing to the outside.



FLEXIFLOW



Washbasin standing tap

333 mm, without waste
TD 015.00
prod. no.: X070091



Washbasin standing tap

170 mm, without waste
TD 014.00
prod. no.: X070062



Washbasin standing tap

140 mm, without waste
TD 012.00
prod. no.: X070064

Practical inclination

Tap tilted towards the hand and into the basin will make use more pleasant and facilitates cleaning of the less accessible area between the tap and the wall.



Washbasin standing tap

170 mm, with waste
TD 013.00
prod. no.: X070061



Washbasin standing tap

140 mm, with waste
TD 011.00
prod. no.: X070063

5

10° taps come with 5 year warranty.

30

Ceramic cartridge with 35 mm diameter tested for minimum service life of 30 years.



Adjustable aerator - allows the adjustment of the stream as required.



Easy scale removal.




Clean taps using RAVAK Cleaner Chrome or other non-aggressive agents which do not damage the chrome surface.



**Bidet
standing tap**

with waste
TD 055.00
prod. no.: X070067



**Bath
wall-mounted tap**

without set
150 mm
TD 022.00 /150
prod. no.: X070065



**Shower
wall-mounted tap**

without set
150 mm
TD 032.00/150
prod. no.: X070066

5

10° taps come with 5 year warranty.

30

Ceramic cartridge with 35mm diameter tested for minimum service life of 30 years.



All 10° wall-mounted taps have 150 mm gauge.



Built-in valve bath/shower

with diverter,
TD 061.00
prod. no.: X070068



Built-in valve shower

without diverter,
TD 062.00
prod. no.: X070069



EASYSWITCH



Built-in valve bath/shower

with diverter, – for R-box 070.50
TD 065.00
prod. no.: X070070



Built-in valve shower


without diverter, – for R-box 070.50
TD 066.00
prod. no.: X070071



EASYSWITCH

Tap set

The tap includes both the external, exposed portion, as well as its own brass unit to be mounted into the wall.



Ergonomic diverter

The practical shape of the switch allows control even with wet hands.


EasySwitch

Switching between bath/shower by simply pushing the diverter switch towards the wall.



Combination

To mount the tap onto a wall, use module R-box 070.50.



R-box 070.50 (Find more on page 66)

prod. no.: X070052



Switching between bath/shower by simply pushing the diverter switch towards the wall.



Clean taps using RAVAK Cleaner Chrome or other non-aggressive agents which do not damage the chrome surface.

10° Thermo taps

new



5

Thermostatic taps come with 5 year warranty.

38°

RAVAK thermostatic taps keep the hot water temperature at the set level.



CoolFeel

Temperature controls on the left prevent excessive warming of the tap's surface.



FastReaction

Reacts immediately to water pressure changes and keeps the mixed water at constant temperature.



new

Shower column 10°

with a thermostatic valve and shower set, 150 mm,
head shower Air 25 cm x 25 cm, ABS chrome plastic,
hand shower Air Chrome - 3 functions
TD 091.00/150
prod. no.: X070103



new

10°, Thermostatic wall mounted shower valve

without set, 150 mm
TD 033.00/150
prod. no.: X070102

„Your desired temperature is set automatically and in an instance.“



Scald protection
Should there be a fault with the cold water supply, it immediatley regulates the hot water inlet.



Water and energy savings
The thermostat saves water by adjusting water temperature automatically and as quickly as possible.



The Air function allows the introduction of air into the shower. This enables a more pleasant experience from the water falling on your skin, while simultaneously saving water.

new



Single hook

TD 110.00
prod. no.: X07P353



Double hook

TD 100.00
prod. no.: X07P352



Soap holder (glass)

TD 200.00
prod. no.: X07P354



**Towel holder
63 cm**

TD 310.00
prod. no.: X07P325



**Towel holder, double
63 cm**

TD 320.00
prod. no.: X07P326



**Towel rack, with a holder
63 cm**

TD 330.00
prod. no.: X07P327





**Holder with a glass
(glass)**

TD 210.00
prod. no.: X07P321



**Holder with two glasses
(glass)**

TD 220.00
prod. no.: X07P322



**Soap
dispenser (glass)**

TD 231.00
prod. no.: X07P323



**Towel holder
25 cm**

TD 300.00
prod. no.: X07P324



**Rotary towel holder
42 cm**

TD 340.00
prod. no.: X07P328



Toilet paper holder

TD 400.00
prod. no.: X07P329



**Toilet brush holder
and brush (glass)**

TD 410.00
prod. no.: X07P330



**Glass shelf
(glass) 60 cm**

TD 500.00
prod. no.: X07P332

Attractive and practical design

The matt glass and glossy chromed finish suits any bathroom.



High-quality brass
Long service life of bathroom extras.


5

10° bathroom extras come with
5 year warranty.



Ravak Cleaner Chrome
A special, gentle cleaning
agent without chlorine.

Design by Kryštof Nosál



Thought through to the smallest detail

Chrome

The complete assortment of taps, accessories and extras in Chrome, compliments perfectly with the oval shaped design throughout all the main components in the concept.

During their creation the designer focused on utilising technological innovations – integrated switches for bath taps and adjustable aerators for basin taps which allows adjusting the water flow exactly as needed. For sink water, the tap spout can be rotated a full 360 degrees as well as a system for easy installation called EasyFix.

Thanks to their distinctive and clean design, Chrome taps and extras will be the pride of your bathroom.



*Chrome taps were created by Czech designer **Kryštof Nosál**.*

Chrome taps and extras are a part of Concept Chrome – a comprehensive solution for the entire bathroom.



The Chrome concept features a harmonised look and is well thought out, down to the last detail. Its unifying oval shape design feature, which distinguishes it from all other solutions on the market, ties together all of its parts into one interchangeable set.



It consists of a bath, bath screen, shower enclosures in different shapes and designs, shower trays, shower drain, shower seats, ceramic washbasins and cast marble washbasins, WC and bidet, bathroom furniture and various types of taps, accessories and bathroom extras.

Adjustable aerator – Neoperl®

Allows the adjustment of the water stream as needed.

Standard or extra extended height

Choose the ideal size to create your own comfortable washing area.



Washbasin standing tap

without waste
CR 012.00
prod. no.: X070041




Washbasin standing tap

with waste
CR 011.00
prod. no.: X070053



Washbasin standing tap

333mm, without waste
CR 015.00
prod. no.: X070100



Washbasin built-in valve

set with R-box, which is included in the package
CR 019.00
prod. no.: X070093



Washbasin standing tap

with bidet shower, without waste
CR 112.00
prod. no.: X070092



Bidet standing tap

with waste
CR 055.00
prod. no.: X070055


Rotary spout

Spout rotation without limits.



EasyFix

Simple and quick installation.



Kitchen sink / Washbasin tap

CR 016.00
prod. no.: X070054

5

Chrome taps come with 5 year warranty.

30

Ceramic cartridge with 35 mm diameter tested for minimum service life of 30 years.



Adjustable aerator - allows the adjustment of the stream as required.

Integrated diverter

Switches between bath/shower by turning the mixer spout.



Bath wall-mounted tap

with swivel spout
without set, 150 mm
CR 022.00/150
prod. no.: X070042



Shower wall-mounted valve

without set
150 mm
CR 032.00/150
prod. no.: X070043

*Technological innovation since 05/17
- limited heating of the tap body*

*Technological innovation since 05/17
- limited heating of the tap body*



Waterfall bath filler

with a set
CR 025.00
prod. no.: X070073



Outlet arm

washbasin / bath
spout length 230 mm
CR 027.00
prod. no.: X07P113



Floor-mounted bath tap

set with R-box,
which is included in the package
CR 080.00
prod. no.: X070101



Easy scale removal.



Switching between bath/shower by simply pushing the diverter switch towards the wall.



Clean taps using RAVAK Cleaner Chrome or other non-aggressive agents which do not damage the chrome surface.

Combination

To mount the tap onto a wall, use module R-box 070.50.



Built-in valve bath/shower

with diverter, – for R-box 070.50
CR 065.00
prod. no.: X070056




Built-in valve shower

without diverter, – for R-box 070.50
CR 066.00
prod. no.: X070057

Tap set

The tap includes both the external, exposed portion, as well as its own brass unit to be mounted into the wall.



Thermostatic built-in valve bath/shower

with diverter,
CR 063.00
prod. no.: X070094



Thermostatic built-in valve shower

without diverter,
CR 064.00
prod. no.: X070095

Combination

To mount the tap onto a wall, use mounting module R-box Multi RB 071.50.



Thermostatic built in 3 way valve for R-box Multi 071.50

CR 067.00
prod. no.: X070075



Basic body for built-in valve R-box Multi

RB 071.50
prod. no.: X070074

Distribution to up to 3 points

Tap CR 067.00 is a one-of-a-kind solution, as it allows distributing mixed water to one, two or three points at the same time. You can thus make use of it with an overhead and hand shower along with bath tap CR 027.00 or hydromassage jets 990.00 in a shower enclosure.

5

Taps come with 5 year warranty.

38°

RAVAK thermostatic taps keep the hot water temperature at the set level.



FastReaction

Reacts immediately to water pressure changes and keeps the mixed water at constant temperature.



Overhead shower Slim, Chrome

square 300mm,
982.00
prod. no.: X07P016



Overhead shower Slim, Chrome

square 200mm,
982.01
prod. no.: X07P334

High-alloy steel

Increased resistance to corrosion.
Long service life of overhead shower.

Slim design

Unique technology allows producing the shower in attractive design without a visible joint.



Overhead shower Slim, Chrome

round 300mm,
984.00
prod. no.: X07P336




Overhead shower Slim, Chrome

round 200mm,
984.01
prod. no.: X07P335

High-quality brass

Quality brass sliding part.



OneHand

Special all-brass system for sliding the hand shower holder with one hand. All you need is to pull the lever and move the shower head to any position you want.

OneStop

Shower holder lock that will not slip.



Hand shower Chrome

round, 1 function
957.00
prod. no.: X07P007



Shower holder adjustable, Chrome, with joint

611.00
prod. no.: X07P011

Bar with a sliding shower holder, Chrome - 70 cm

974.00
prod. no.: X07P013



Built-in jet Chrome

135 mm
990.00
prod. no.: X07P346



Ravak Cleaner Chrome
A special cleaning agent without chlorine.



EasyClean
Easy scale removal.



The Air function allows the introduction of air into the shower. This enables a more pleasant experience from the water falling on your skin, while simultaneously saving water.



**Holder with a glass
(matt glass)**

CR 210.00
prod. no.: X07P188



**Holder with two
glasses (matt glass)**

CR 220.00
prod. no.: X07P189



**Soap holder
(matt glass)**

CR 200.00
prod. no.: X07P187



**Soap dispenser
(matt glass)**

CR 231.00
prod. no.: X07P223



Toilet paper holder

CR 400.00
prod. no.: X07P191



Toilet paper holder

CR 420.00
prod. no.: X07P318



**Toilet brush holder
and brush (matt glass)**

CR 410.00
prod. no.: X07P196



**Rotary towel holder
42 cm**

CR 340.00
prod. no.: X07P319

L / R option

For products CR 200.00, 210.00 and 410.00, you will switch between the right or left hand options by turning the product over and flipping the oval cover with the logo.

L / R



CuZn

High-quality brass
Long service life of bathroom extras.

5

Chrome bathroom extras come
5 year warranty.



Ravak Cleaner Chrome
A special, gentle cleaning
agent without chlorine.

Bathroom extras **Chrome**



Single hook

CR 110.00
prod. no.: X07P320



Double hook

CR 100.00
prod. no.: X07P186



Towel holder oval

CR 300.00
prod. no.: X07P190



Towel holder 66 cm

CR 310.00
prod. no.: X07P192



Towel holder 66 cm

CR 320.00
prod. no.: X07P193



Towel rack, with a holder, 66 cm

CR 330.00
prod. no.: X07P194




Glass shelf 64 cm (matt glass)

CR 500.00
prod. no.: X07P195



Thermo

*A safe
and constant water temperature*



***You will never look back once you have tried the thermostatic tap.
Do you know why?***

A shower that is cold or too hot is a situation we experience frequently before we manage to mix the correct water temperature. The solution is thermostatic taps. Only they can balance both temperature and pressure fluctuations in the supply and ensure that water flow is exactly as you set it.


Clear marking

Prevents mistaking hot for cold water.



Integrated diverter

The bath/shower diverter integrated in the head for simple control.




Safety lock

Against accidental change in water temperature above 38°C.

Special "smart" cartridge

Immediately reacts to water temperature and keeps it constant.



Prevents unwanted change in water temperature

The thermostatic shower tap has no lever but special control heads. Never again will you accidentally move the lever and have cold or hot water pour onto you.

CoolFeel

The placement of temperature control on the left prevents excessive warming of the tap's surface.

Ceramic cartridge

Controls water flow in the tap.

In the picture: section through thermostatic bath tap.



CoolFeel

Temperature controls on the left prevent excessive warming of the tap's surface.



RAVAK thermostatic taps keep the hot water temperature at the set level.



FastReaction

Reacts immediately to water pressure changes and keeps the mixed water at constant temperature.



Scald protection

Should there be a fault with the cold water supply, it immediately regulates the hot water inlet.



Water and energy savings

The thermostat saves water by adjusting water temperature automatically and as quickly as possible.



**Termino 300
thermostatic bath tap**

without set, 150 mm
TE 023.00/150
prod. no.: X070097



**Termino 300
thermostatic shower valve**

without set, 150 mm
TE 033.00/150
prod. no.: X070096



**Termino 200
thermostatic bath tap**

without set, 150 mm
TE 082.00/150
prod. no.: X070046



**Termino 200
thermostatic shower valve**

without set, 150 mm
TE 072.00/150
prod. no.: X070051



**Termino 100
thermostatic bath tap**

without set, 150 mm
TE 022.00/150
prod. no.: X070047



**Termino 100
thermostatic shower valve**

without set, 150 mm
TE 032.00/150
prod. no.: X070034

5

All thermostatic taps have a ceramic cartridge for water flow control and a thermostatic cartridge for water temperature control. Like the complete tap sets, the cartridges come with a 5 year warranty.



All wall-mounted thermostatic taps have 150 mm gauge.



Easy scale removal.



CoolFeel

Temperature controls on the left prevent excessive warming of the tap's surface.



RAVAK thermostatic taps keep the hot water temperature at the set level.



FastReaction

Reacts immediately to water pressure changes and keeps the mixed water at constant temperature.




Water and energy savings

The thermostat saves water by adjusting water temperature automatically and as quickly as possible.

Thermo Chrome

Tap set

The tap includes both the external, exposed portion, as well as its own brass unit to be mounted into the wall.



Keen price

The tap design allows for direct wall mounting which is the most cost effective install solution.



Built-in thermostatic Chrome bath/shower

with diverter,
CR 063.00
prod. no.: X070094



Built-in thermostatic Chrome shower

without diverter,
CR 064.00
prod. no.: X070095

Combination

To mount the tap onto a wall, use mounting module R-box Multi RB 071.50.



Thermostatic built in 3 way valve for R-box Multi 071.50

CR 067.00
prod. no.: X070075




Basic body for built-in valve R-box Multi

RB 071.50
prod. no.: X070074

Distribution to up to 3 points

Tap CR 067.00 is a one-of-a-kind solution, as it allows distributing mixed water to one, two or three points at the same time. You can thus make use of it with an overhead and hand shower along with bath tap CR 027.00 or hydromassage jets 990.00 in a shower enclosure.



5

All thermostatic taps have a ceramic cartridge for water flow control and a thermostatic cartridge for water temperature control. Like the complete tap sets, the cartridges come with a 5 year warranty.

100°

Should there be a fault with the cold water supply, it immediately regulates the hot water inlet.

38°

RAVAK thermostatic taps keep the hot water temperature at the set level.



new

Shower column 10°

with a thermostatic valve and shower set, 150 mm,
head shower 25 cm x 25 cm, ABS chrome plastic,
hand shower Air Chrome - 3 functions
TD 091.00/150
prod. no.: X070103



new

The 10° thermostatic wall mounted shower valve

without set, 150 mm
TD 033.00/150
prod. no.: X070102

„Thermostatic taps reduce water and energy consumption.“



Water and energy savings
The thermostat saves water by adjusting water temperature automatically and as quickly as possible.



Reacts immediately to water pressure changes and keeps the mixed water at constant temperature.



CoolFeel
Temperature controls on the left prevent excessive warming of the tap's surface.

Dual shower systems *Termo*



5

Thermostatic taps come with 5 year warranty.



Ravak Cleaner Chrome
A special, gentle cleaning agent without chlorine.

38°

RAVAK thermostatic taps keep the hot water temperature at the set level.



Water and energy savings
The thermostat saves water by adjusting water temperature automatically and as quickly as possible.

Adjustability

Allows easy adjustment of the height of the overhead shower simply and quickly within 91 - 131 cm range from the tap, for shower column TE 092.00 even up to 160 cm.



Swivel

The overhead shower can also be tilted to all sides.

OneHand

Special all-brass system for sliding the hand shower holder with one hand. All you need is to pull the lever and move the shower head to any position you want.



OneStop

Shower holder lock that will not slip.



Shower column

with a thermostatic valve and shower set, head shower Air 25 cm x 25 cm, ABS chrome plastic, hand shower Air Chrome - 3 functions TD 091.00/150 prod. no.: X070103

Shower column Termo 300

with a thermostatic valve and shower set, head shower Air 25 cm x 25 cm, ABS white plastic, hand shower Air white - 3 functions TE 093.00/150 prod. no.: X070099

Shower column bath Termo 300

with a thermostatic valve and shower set, head shower Air 25 cm x 25 cm, ABS white plastic, hand shower Air white - 3 functions TE 092.00/150 prod. no.: X070098

Shower column 100

with a thermostatic valve and shower set, 150 mm, overhead shower diameter 20 cm chrome, hand shower 5 functions chrome TE 091.00/150 prod. no.: X070058



Reacts immediately to water pressure changes and keeps the mixed water at constant temperature.



CoolFeel
Temperature controls on the left prevent excessive warming of the tap's surface.



The Air function allows the introduction of air into the shower. This enables a more pleasant experience from the water falling on your skin, while simultaneously saving water.





Slim and elegant

Classic

The graceful shapes of the Classic taps distinguished by the straight top surface perfectly complements the bath and basins.

New practical details fulfil all the requirements of modern aesthetics.

Stylistic harmony with the concept

The Classic taps complete bathrooms from the concept of the same name, which can include baths, basins, furniture and taps all developed under the same aesthetic principle.



Classic taps are a part of a concept of the same name.



Washbasin standing tap

without waste
CL 012.00
prod. no.: X070080



Washbasin standing tap

with waste
CL 011.00
prod. no.: X070081



Bidet standing tap

with waste
CL 055.00
prod. no.: X070082



Bath wall-mounted tap

without set
150 mm
CL 022.00/150
prod. no.: X070083



Shower wall-mounted tap

without set
150 mm
CL 032.00/150
prod. no.: X070084



Kitchen sink standing tap

without set
150 mm
CL 016.00
prod. no.: X070085



The aerator can be removed without any tools using only a small coin. Cleaning the aerator therefore does not require any extra preparation or work.

5

Classic taps come 5 year warranty.

30

Ceramic cartridge with 25 mm diameter tested for minimum service life of 30 years.



Built-in valve bath/shower

with diverter
CL 061.00
prod. no.: X070086




Built-in valve shower

without diverter
CL 062.00
prod. no.: X070087

Tap set

The tap includes both the external, exposed portion, as well as its own brass unit to be mounted into the wall.



EasySwitch

Switching between bath/shower by simply pushing the diverter switch towards the wall.



EASYSWITCH



Built-in valve bath/shower

with diverter
CL 065.00 - for R-box 070.50
prod. no.: X070088



Built-in valve shower

without diverter
CL 066.00 - for R-box 070.50
prod. no.: X070089

Combination

To mount the tap onto a wall, use mounting module R-box 070.50.



R-box 070.50 (Find more on page 66)

prod. no.: X070052



EASYSWITCH



Easy scale removal.



Switching between bath/shower by simply pushing the diverter switch towards the wall.



Clean taps using RAVAK Cleaner Chrome or other non-aggressive agents which do not damage the chrome surface.




Majestic and elegant

Neo

The Neo tap combines elegance and robustness.

You will not overlook a Neo tap in your bathroom - it is attractive and will elegantly complement all of your other carefully chosen bathroom accessories.

Neo taps will bring you lasting enjoyment thanks to their distinctive look, long service life and excellent manufacturing.



Neo taps are suited for modern interiors.



Washbasin standing tap

without waste
NO 012.00
prod. no.: X070023



Washbasin standing tap

with waste
NO 011.00
prod. no.: X070016



Bidet standing tap

with waste
NO 055.00
prod. no.: X070019



Bath wall-mounted tap

without set
150 mm
NO 022.00/150
prod. no.: X070017




Shower wall-mounted tap

without set
150 mm
NO 032.00/150
prod. no.: X070018

5 Neo taps come with 5 year warranty.

30 Ceramic cartridge with 40 mm diameter tested for minimum service life of 30 years.

 All wall-mounted taps Neo have 150 mm gauge.



Built-in valve bath/shower

with diverter
NO 061.00
prod. no.: X070020



Built-in valve shower

without diverter
NO 062.00
prod. no.: X070021



EASYSWITCH



Built-in valve bath/shower

with diverter
NO 065.00 - for R-box 070.50
prod. no.: X070045



Built-in valve shower


without diverter
NO 066.00 - for R-box 070.50
prod. no.: X070044



EASYSWITCH

Tap set

The tap includes both the external, exposed portion, as well as its own brass unit to be mounted into the wall.



Ergonomic diverter

The practical shape of the switch allows control even with wet hands.

EasySwitch

Switching between bath/shower by simply pushing the diverter switch towards the wall.



Combination

To mount the tap onto a wall, use mounting module R-box 070.50.



R-box 070.50 (Find more on page 66)

prod. no.: X070052



Easy scale removal.



Switching between bath/shower by simply pushing the diverter switch towards the wall.



Clean taps using RAVAK Cleaner Chrome or other non-aggressive agents which do not damage the chrome surface.





Natural beauty

Rosa

True beauty comes from nature. Elegant and smooth lines, round edges and harmonious proportions.

Rosa taps are designed to elegantly complement your bathroom with their beautiful and pleasing shape. And natural beauty need not be expensive.

Careful and high-quality production along with thorough, multi-stage inspection ensure that Rosa taps will retain their full beauty in your bathroom for a long time to come.



Rosa taps are a part of a concept of the same name.



Washbasin standing tap

without waste
RS 012.00
prod. no.: X070022



Washbasin standing tap

with waste
RS 011.00
prod. no.: X070010



Bidet standing tap

with waste
RS 055.00
prod. no.: X070013



Bath wall-mounted tap

without set
150 mm
RS 022.00/150
prod. no.: X070011



Waterfall bath filler

with a set
RS 025.00
prod. no.: X07P003




Shower wall-mounted valve

without set
150 mm
RS 032.00/150
prod. no.: X070012

5 Rosa taps come with 5 year warranty.

30 Ceramic cartridge with 40 mm diameter tested for minimum service life of 30 years.

 All wall-mounted taps Rosa have 150 mm gauge.



Built-in valve bath/shower

with diverter
RS 061.00
prod. no.: X070014



Built-in valve shower

without diverter
RS 062.00
prod. no.: X070015



EASYSWITCH



Built-in valve bath/shower

with diverter
RS 065.00 - for R-box 070.50
prod. no.: X070050



Built-in valve shower

without diverter
RS 066.00 - for R-box 070.50
prod. no.: X070049



EASYSWITCH



Easy scale removal.




Switching between bath/shower by simply pushing the diverter switch towards the wall.



Clean taps using RAVAK Cleaner Chrome or other non-aggressive agents which do not damage the chrome surface.

Tap set

The tap includes both the external, exposed portion, as well as its own brass unit to be mounted into the wall.



Ergonomic diverter

The practical shape of the switch allows control even with wet hands.

EasySwitch

Switching between bath/shower by simply pushing the diverter switch towards the wall.



Combination

To mount the tap onto a wall, use mounting module R-box 070.50.



R-box 070.50 (Find more on page 66)

prod. no.: X070052



Simplicity, tradition, reliability

Suzan

Taps that do not pretend and work reliably.

The popular classic design of the Suzan taps fits any bathroom. They last long and nicely complement your washbasin, bath or shower enclosure.

Careful and high-quality production along with thorough, multi-stage inspections ensure perfect and long-lasting functionality of Suzan series taps.

Another advantage is their easy installation which could be done by almost anyone.



Can be controlled with one finger
A useful protrusion on the bottom of the lever for ease of control.



Tap gauge
Wall-mounted taps Suzan are made in gauge 150 mm and 100 mm (especially suited for older buildings).



Washbasin standing tap

without waste
SN 012.00
prod. no.: X070002



Washbasin standing tap

with waste
SN 011.00
prod. no.: X070001



Washbasin / Kitchen sink wall-mounted tap

150 mm, spout length 250 mm
SN 041.00/150
prod. no.: X070008



150 mm
GAUGE



Washbasin / Kitchen sink wall-mounted tap

100 mm, spout length 250 mm
SN 041.00/100
prod. no.: X070007



100 mm
GAUGE



Bath wall-mounted tap

without set, 150 mm
SN 022.00/150
prod. no.: X070004



150 mm
GAUGE

5

On a ceramic cartridge with diameter 35 mm 5 year warranty.



All Susan wall-mounted taps have a 100 mm and 150 mm gauge.



Clean taps using RAVAK Cleaner Chrome or other non-aggressive agents which do not damage the chrome surface.



Washbasin standing tap with swivel spout

150 mm, without waste
SN 015.00
prod. no.: X070009



Kitchen sink standing tap

with swivel spout 230 mm,
without waste
SN 016.00
prod. no.: X070038

Rotary spout

Spout rotation without limits.



ROTARY SPOUT



ROTARY SPOUT

Gauge 100 and 150 cm

All Susan wall-mounted taps have a 100 mm and 150 mm gauge.



100 / 150 mm GAUGE



Bath wall-mounted tap

without set, 100 mm
SN 022.00/100
prod. no.: X070003



Shower wall-mounted tap

without set, 150 mm
SN 032.00/150
prod. no.: X070006



Shower wall-mounted tap

without set, 100 mm
SN 032.00/100
prod. no.: X070005



100 mm GAUGE




150 mm GAUGE



100 mm GAUGE



Easy scale removal.



We recommend using a filtration system at the inlet pipe to the apartment/house. It will prolong not only the working life of the tap, but also a washing machine or a dishwasher.

Floor-mounted bath taps



5

Taps come with 5 year warranty.



EasyClean
Easy scale removal.



Ravak Cleaner Chrome
A special cleaning agent without chlorine.



Floor-mounted bath tap Chrome
CR 080.00
prod. no.: X070101



Floor-mounted bath tap Freedom
FM 080.00
prod. no.: X070059



Floor-mounted bath tap Freedom
FM 081.00
prod. no.: X070079

Solid brass body

All-brass design along with an ingenious system of tap attachment to the floor ensure its long-term and trouble-free functioning.

Komplet

Mounting onto R-box, which is included in the package.



Washbasin standing tap
333 mm, without waste
CR 015.00
prod. no.: X070100



Washbasin standing tap
361 mm, without waste
FM 016.00
prod. no.: X070090



Taps for freestanding baths and basins

Bath standing taps



5

Taps come with 5 year warranty.



Ravak Cleaner Chrome
A special cleaning agent without chlorine.



EasyClean
Easy scale removal.



**Waterfall
bath filler**

with a set
CR 025.00
prod. no.: X070073




**Waterfall
bath filler**

with a set
WF 025.00
prod. no.: X070060



**Waterfall
bath filler**

with a set
RS 025.00
prod. no.: X07P003



The waterfall effect for filling your bath is an ideal solution for all who love water and like to observe and utilise the energy concealed within its flow.

Suitable for baths: Gentiana, NewDay, Rosa II, Rosa 95, LoveStory II, Asymmetric, Forms 01 and City.

Kitchen taps



Ravak Cleaner Chrome
A special cleaning agent
without chlorine.



SoftMove
Smooth and even movement
of the lever.



EasyClean
Easy scale removal.



Kitchen sink / Washbasin standing tap

CR 016.00
prod. no.: X070054



Kitchen sink standing tap



KM 016.00
prod. no.: X070039




Kitchen sink standing tap with retractable shower

KM 017.00
prod. no.: X070078

Rotary spout
Spout rotation without limits.

Retractable shower
Practical helper in the kitchen.



EasyFix
Simple and quick installation.




Kitchen sink standing tap

SN 016.00
prod. no.: X070038





Kitchen sink standing tap

without set, 150 mm
CL 016.00
prod. no.: X070085



Washbasin standing tap

361 mm, without waste
FM 016.00
prod. no.: X070090



Taps with a bidet shower



5

Taps with bidet shower come with 5 year warranty.



EasyClean
Easy scale removal.



Clean taps using RAVAK Cleaner Chrome or other non-aggressive agents which do not damage the chrome surface.

Ideal solution

A tap with a bidet shower attachment is suitable for all areas where a classic bidet would take up too much space.



Washbasin standing tap Chrome with bidet shower

without waste
CR 112.00
prod. no.: X070092



Washbasin tap with bidet shower and wall-mounted holder

BM 011.00
prod. no.: X070076



Bidet shower

962.00
prod. no.: X07P269



Wall-mounted valve with bidet shower

BM 040.00
prod. no.: X070077

Spatially conservative and keenly priced

Wall-mounted valve for toilets where there is no room for a basin. Ideal in combination with built-in taps.

„For maximum comfort even in smaller toilets.“



Showers and extras



Ravak Cleaner Chrome
A special cleaning agent
without chlorine.



EasyClean
Easy scale removal.



The Air function allows the introduction
of air into the shower. This enables
a more pleasant experience from
the water falling on your skin, while
simultaneously saving water.



Overhead shower Slim, Chrome

square 300 mm,
982.00
prod. no.: X07P016



Overhead shower Slim, Chrome

round 300 mm,
984.00
prod. no.: X07P336



Overhead shower round brass

300 mm
980.00
prod. no.: X07P111



Overhead shower Slim, Chrome

square 200 mm,
982.01
prod. no.: X07P334



Overhead shower Slim, Chrome

round 200 mm,
984.01
prod. no.: X07P335



Overhead shower round brass

200 mm
981.00
prod. no.: X07P015



Overhead shower ABS

square - white 250 mm
983.10
prod. no.: X07P347



Side spout

702.00
prod. no.: X07P112



Ceiling spout

200mm, 703.00
300mm, 704.00
500mm, 705.00
prod. no.: X07P178 / X07P179 / X07P180




Sliding shower column

with a set,
overhead shower diameter 200 mm
chrome,
hand shower 5 functions - chrome
DS 090.00
prod. no.: X07P232

Simple connection

60 cm connection hose can be connected to any shower or bath tap, even the one you have in your existing shower enclosure.



Swivel

The brass column can also be tilted to all sides.



Adjustability

Allows easy adjustment of the height of the overhead shower simply and quickly within 91 - 131 cm from the tap.



Showers



Hand shower Air, 3 functions,

120 mm
White 958.10
Chrome 958.00
prod. no.: X07P349 / X07P348



Hand shower Air, 1 function,

120 mm
White 959.10
Chrome 959.00
prod. no.: X07P351 / X07P350



Hand shower Chrome Air 1 function

957.00
prod. no.: X07P007



Hand shower Oval mini, 1 function

water consumption 6.5l per minute
954.00
prod. no.: X07P114



Hand shower Air Flat XXL, 3 functions

ø 140 mm
961.00
prod. no.: X07P344



Hand shower Air Flat S, 1 function

ø 100 mm
960.00
prod. no.: X07P343



Hand shower Flat Miha, 3 functions

diameter 120 mm
flow rate 5 l/min when using Mist
956.00
prod. no.: X07P233




Hand shower Flat M, 3 functions

diameter 118 mm
953.00
prod. no.: X07P009



Hand shower round – 5 functions

diameter 108 mm
952.00
prod. no.: X07P008



EasyTWIST

Prevents the hose from twisting by letting the shower head swivel freely.



Ravak Cleaner Chrome

A special cleaning agent without chlorine.



The Air function allows the introduction of air into the shower. This enables a more pleasant experience from the water falling on your skin, while simultaneously saving water.



**Shower hose
150 cm**
single-lock
911.00
prod. no.: X07P006



**Shower hose
150 cm**
from durable plastic
912.50
prod. no.: X07P065



EASYTWIST



**Shower hose
SatinFlex**
from durable plastic
150 / 200 cm
913.00 / 913.02
prod. no.: X07P176 / X079337



EASYTWIST



**Shower hose
SilverShine**
from durable plastic
150 / 200 cm
914.00 / 914.02
prod. no.: X07P338 / X07P339



EASYTWIST



**Shower
hoses**
metal with protective layer
150 / 200 cm
915.00 / 915.02
prod. no.: X07P340 / X07P341



EASYTWIST



**Wall-mounted
shower spout**
701.00
prod. no.: X07P004



**Shower holder
brass with water
outlet**
706.00
prod. no.: X07P206



**Shower holder
adjustable,
Chrome, with joint**
611.00
prod. no.: X07P011



**Plastic
shower holder**
612.00
prod. no.: X07P345



**Plastic
shower holder**
610.00
prod. no.: X07P010

Swivel

Option for turning the shower holder with bar as needed.



**Bar with a sliding
shower holder,
- 90 cm**

973.00
prod. no.: X07P014

OneHand

Special system for sliding the hand shower holder with one hand. All you need is to push and move the shower head to any position you want.



**Bar with a sliding
shower holder,
Chrome - 70 cm**

974.00
prod. no.: X07P013



**Bar with a sliding shower
holder and wall outlet,
2 in 1 - 60, 90 cm**

975.00, 975.01
prod. no.: X07P342,
prod. no.: X07P366

new



**60 cm bar with sliding
shower holder**

972.00
prod. no.: X07P012

2 in 1 - (wall outlet and bar in one product)

Shower sets



Shower set - hoses from durable plastic 150 cm, flat head with 3 functions, bar with sliding shower holder 63 cm

902.00
prod. no.: X07P177



Shower set - hand shower Flat MIha, bar 90 cm, hoses from durable plastic 150 cm

920.00
prod. no.: X07S001



Shower set - hand shower Air white, 3 functions, bar 70 cm, hoses from durable plastic 150 cm

921.00
prod. no.: X07S002



Shower set - hand shower Flat M, bar 60 cm, hoses single-lock 150 cm

922.00
prod. no.: X07S003



Shower set - hand shower Air chrome, 1 function, bar 60 cm, hoses from durable plastic 150 cm

923.00
prod. no.: X07S004



Shower set - hand shower Flat S, bar 60 cm, hoses from durable plastic 150 cm

924.00
prod. no.: X07S005



**Bath set - hand shower.
from durable plastic 150 cm,
small holder**

901.00
prod. no.: X07P005



**Bath set - hand shower
Flat M, hoses from durable
plastic 150 cm,
small holder**

903.00
prod. no.: X07S006



**Bath set - hand shower Flat
MIha, hoses from durable
plastic 150 cm,
small holder**

904.00
prod. no.: X07S007



**Bath set - hand shower
Flat S, hoses from durable
plastic 150 cm,
small holder**

905.00
prod. no.: X07S008



**Bath set - hand shower Air
white 1 function, hoses
from durable plastic 150 cm,
small holder**

906.00
prod. no.: X07S009



**Bath set - hand shower Air white
3 functions, hoses
from durable plastic 150 cm,
small holder**


907.00
prod. no.: X07S010

Purchasing a shower or bath set provides you with all the basic products you need for showering in your bath or shower enclosure without any complicated combining and matching. You can rely on their functional and aesthetic harmony.



R-box

Basic unit for built-in valves




R-box is a perfect, universal built-in system for lever, bath and shower built-in taps. The tap's main body is made of high-quality brass. Unlike traditional built-in taps R-box installation is much easier and potential exchange of the top part is simple. The top part of the R-box (Rosa, Neo, Classic, Chrome and 10° taps numbered 065 and 066) is mounted after the bathroom has been completely finished, ensuring that the tap will not get scratched or damaged during final construction work.




Suited for bath and shower built-in taps
(cannot be used for thermostatic taps)



Developed for easy and quick installation thanks to a bubble level
integrated in the protective cover.



Compatible with all common piping systems (PPR, copper, plastic)



Maximum flexibility
Ravak R-box allows high flexibility in placement depth - 75 -100 mm



Basic body for built-in valve

R-box
RB 070.50
prod. no.: X070052



Built-in valve 10° bath/shower

for R-box 070.50, top part
TD 065.00 with diverter
TD 066.00 without diverter
prod. no.: X070070 / X070071



Built-in valve Chrome bath/shower

for R-box 070.50, top part
CR 065.00 with diverter
CR 066.00 without diverter
prod. no.: X070056 / X070057



Built-in valve Classic bath/shower

for R-box 070.50, top part
CL 065.00 with diverter
CL 066.00 without diverter
prod. no.: X070088 / X070089



Built-in valve Neo bath/shower

for R-box 070.50, top part
NO 065.00 with diverter
NO 066.00 without diverter
prod. no.: X070045 / X070044



Built-in valve Rosa bath/shower

for R-box 070.50, top part
RS 065.00 with diverter
RS 066.00 without diverter
prod. no.: X070050 / X070049

Built-in valve without diverter

Choose the top or bottom water outlet and blank off the other one.

Built-in valve with diverter

Both outlets must be connected to pipes. When mounting for a bath, the outflow for the bath must be on the bottom outlet and hand shower on the top outlet. When mounting for a shower enclosure, the hand shower must be connected to the bottom outlet and overhead shower to the top outlet.

5

R-box comes with 5 year warranty.




Clean taps using RAVAK Cleaner Chrome or other non-aggressive agents which do not damage the chrome surface.

R-box Multi

Basic unit for built-in valves



R-box Multi is a universal multi-way installation system for multi-way thermostatic built-in valves (CR 067.00); the module is designed for installing into a wall. The bottom part of the mixer tap integrated into R-box is made from high-quality brass, as is the top part of the valve. The base unit makes installation easier and faster, and provides better results. The plastic box protects the internal parts of the tap body when installing into the wall and at the same time allows better handling.




Suited for three-way thermostatic built-in tap



Developed for easy and quick installation thanks to a bubble level integrated in the protective cover.



Compatible with all common piping systems (PPR, copper, plastic)



Maximum flexibility
Ravak R-box allows high flexibility in placement depth - 85 -105 mm




Basic body for built-in valve

R-box Multi
RB 071.50
prod. no.: X070074



Thermostatic built in 3 way valve

for R-box Multi 071.50
CR 067.00
prod. no.: X070075




Distribution to up to 3 points

Tap CR 067.00 is a one-of-a-kind solution, as it allows distributing mixed water to one, two or three points at the same time. You can thus make use of it with an overhead and hand shower along with bath tap CR 027.00 or hydromassage jets 990.00 in a shower enclosure.



Use of built-in taps



Bath filling with overflow

Suitable built-in taps:



Direct installation into a wall


RS 062, NO 062, TD 062, CL 062, CR 064



Use R-boxu RB 070.50

RS 066, NO 066, CR 066, TD 066, CL 066

in combination with shower drain set with overflow filling, see page 72



Bath filling with overflow and shower set

Suitable built-in taps:



Direct installation into a wall


RS 061, NO 061, TD 061, CL 061, CR 063



Use R-boxu RB 070.50

RS 065, NO 065, CR 065, TD 065, CL 065

in combination with shower drain set with overflow filling, see page 72




Bath filling through spout in combination with shower set, hand and overhead shower.

Suitable built-in taps:



Use R-boxu Multi RB 071.50

CR 067.00



Use in shower enclosure – only hand shower outlet

Suitable built-in taps:




Direct installation into a wall

RS 062, NO 062, TE 062, TD 062, CL 062, CR 064



Use R-boxu RB 070.50

RS 066, NO 066, CR 066, TD 066, CL 066



Use in shower enclosure – hand and overhead shower outlet

Suitable built-in taps:




Direct installation into a wall

RS 061, NO 061, TE 061, TD 061, CL 061, CR 063



Use R-boxu RB 070.50

RS 065, NO 065, CR 065, TD 065, CL 065



Use in shower enclosure - hand and overhead shower outlet in combination with 2 massage jets.

Suitable built-in taps:



Use R-boxu Multi RB 071.50

CR 067.00

Bath waste sets

Bath waste sets are suitable for all types of baths. They are made of top quality materials and differ in their technical and design solution.

With regard to drain control, **we manufacture the ClickClack mechanism** (the outflow is closed by pressing the drain plug and opens by another pressing), or so-called **bowden cable system** (the trap cap is controlled by turning the top control element to open/closed position).

Bath waste sets with an overflow filling system



Bath waste set with overflow filling,

the drain is controlled by Bowden cable mechanism, length 570 and 800 mm
prod. no.: X01438 / X01504

Bath waste set with overflow filling,

the drain is controlled by ClickClack mechanism length 570 a 800 mm
prod. no.: X01440 / X01505

Bath waste set with overflow filling,

the drain is controlled by Bowden cable mechanism, length 760 mm
prod. no.: X01316

Bath waste set with overflow filling,

the drain is controlled by ClickClack mechanism length 600 mm
prod. no.: X01374

3

3 YEAR WARRANTY

3

3 YEAR WARRANTY

CuZn

METAL DESIGN

CuZn

METAL DESIGN

Washbasin wastes and traps

We offer washbasin waste plugs for all applications. The low waste plug is suitable for use with furniture where it saves space and it is recommended to be combined with the waste trap U pipe.

The classic waste plug looks smart if the basin is without furniture and can be combined with the brass waste trap. The fixed waste plug has to be used for small basins without an overflow, it prevents overflow of the basin.



Washbasin waste plug ClickClack low

For all basin types
prod. no.: X01437






Washbasin waste plug ClickClack

For all basin types
prod. no.: X01373



Washbasin waste plug rigid

for small basins and basins without overflow
prod. no.: X01439





U pipe basin waste trap

For all basin types
prod. no.: X01436



Brass basin waste trap

For all basin types
prod. no.: X01371



**„Ideal cleaner for taps
and accessories.“**




Ravak Cleaner Chrome

Removes grease and deposits from chromed surfaces of shower enclosures, taps and tap accessories.
prod. no.: X01106


Products are routinely delivered within 14 days.
Prices in the catalogue are listed in CZK.

Technical drawings


Taps 10°




TD 012.00




TD 014.00




TD 011.00




TD 013.00




TD 015.00




TD 055.00




TD 022.00




TD 032.00




TD 062.00



TD 061.00




TD 065.00




TD 066.00

Bathroom extras 10°


TD 110.00




TD 100.00




TD 200.00




TD 210.00




TD 220.00




TD 231.00




TD 410.00




TD 300.00




TD 310.00




TD 320.00




TD 330.00




TD 340.00




TD 400.00




TD 500.00




Taps Chrome




CR 012.00




CR 011.00




CR 055.00




CR 015.00




CR 019.00




R-box pro CR 019.00




CR 011.00




CR 016.00



CR 022.00




CR 032.00




CR 027.00


Taps Chrome




RB 071.50




RB 070.50




CR 065.00




CR 066.00





CR 063.00




CR 064.00



CR 067.00




CR 080.00




R-box pro CR 080.00


Accessories Chrome




982.00




982.01




984.00




984.01




990.00



CR 957.00




CR 611.00




CR 974.00


Bathroom extras Chrome




Taps Classic




Thermostatic taps Termo




Dual shower systems Termo



Bath standing taps




CR 025.00




WF 025.00


Floor-mounted bath taps



CR 080.00





FM 080.00













FM 081.00

The depth of the deposit, including paving



R-box

Taps Neo










NO 012.00

NO 011.00

NO 055.00

NO 022.00

NO 032.00













NO 061.00

NO 062.00

NO 065.00

NO 066.00

Taps Rosa



RS 012.00


RS 011.00

RS 055.00


RS 022.00

RS 032.00


Taps Rosa




Taps Suzan




Kitchen taps




SN 041.00/150 a SN 041.00/100




SN 016.00




CR 016.00




CL 016.00



KM 016.00




KM 017.00




FM 016.00


Taps with a bidet shower



CR 112.00




BM 011.00




BM 040.00
a 962.00


Showers and extras




982.00




982.01




984.00




984.01




980.00




981.00




983.10




702.00




703.00 / 704.00 / 705.00




952.00




953.00




956.00




954.00




957.00




958.00



959.00




960.00




961.00


Showers and extras




914.00
914.02




915.00
915.02




911.00




912.50




913.00
913.02




610.00




611.00




612.00




701.00




706.00




975.00
975.01




972.00



974.00




973.00




DS 090.00

R-box



RB 071.50



RB 070.50

Quality taps and accessories form the basis of any bathroom





Choose the best materials, timeless design, conscientious production and guarantee of long service life.

RAVAK a.s., Water Tap Centre
Bernartice nad Odrou 298, 741 01 Nový Jičín 1
Czech Republic
phone / fax: +420 556 731 555
e-mail: objednavky@ravakbaterie.com
www.ravak.com

RAVAK a.s.
Obecnická 285, 261 01 Příbram 1
Czech Republic
phone: 318 427 111, 318 427 200
fax: 318 427 269, 318 427 278
e-mail: info@ravak.cz
www.ravak.com

RAVAK reserves the right to make technical changes to individual products, design and packaging of the product or make changes to prices.
The manufacturer is not responsible for any print errors, should they occur.



Your seller:

RAVAK[®]